

BUILDING GUIDE

COLORADO CHAPTER OF THE INTERNATIONAL CODE COUNCIL

SINGLE FAMILY RESIDENTIAL PATIO COVERS AND CARPORTS


How to use this guide

Check with your jurisdiction regarding type of submittal (paper or electronic) and additional requirements. Draw to scale and complete the following (hint: use graph paper with $\frac{1}{2}$ " squares. Example: $\frac{1}{2}$ " = 1').

- 1. **Complete this building guide** by filling in the blanks on page three through five and indicate which construction details will be used.
- 2. **Provide 2 plot plans** (site plans) showing the dimensions of your project and its relationship to existing buildings and/or structures on the property. The distances to the existing property lines shall be drawn to scale. See page 2.
- 3. **Fill out building permit application**. The majority of permit applications are process with little delay. The submitted documents will help determine if the project is in compliance with building
 - safety codes, zoning ordinances and other applicable laws.


Provide building materials and colors samples

Additions and attached structures should match the appearance of the existing structure




This handout was developed by the Colorado Chapter of the International Code Council as a basic plan submittal under the International Residential Code, edition 2024. It is not intended to cover all circumstances. Check with your Building Safety department for additional requirements.

SITE PLAN




This handout was developed by the Colorado Chapter of the International Code Council as a basic plan submittal under the International Residential Code, edition 2024. It is not intended to cover all circumstances. Check with your Building Safety department for additional requirements.


- ADDRESS:
- 1. Fill in the blanks with dimensions and materials which will be used to build the structure. Please print legibly.
- 2. Indicate in the check boxes which details from page 4 and 5 will be used. Please note your project may be subject to fire restrictive construction requirements. Please refer to page 6 for further information on fire constructive requirements. Zoning approval is required for all projects.
- 3. Roofing to be installed per manufacture instructions, including low slope application, and required inspections made.




This handout was developed by the Colorado Chapter of the International Code Council as a basic plan submittal under the International Residential Code, edition 2024. It is not intended to cover all circumstances. Check with your Building Safety department for additional requirements.

Existing roof rafters or trusses Galvanized metal joist or rafter hangers Extend underlayment from new roof a minimum of 18" onto existing roof Cont. 2x ledger Secure ledger to wall with lag screws @ 16" O.C. Locate lag screws to penetrate top plate or studs Note: Remove brick veneer at top of wall before installing continuous 2x ledger








This handout was developed by the Colorado Chapter of the International Code Council as a basic plan submittal under the International Residential Code, edition 2024. It is not intended to cover all circumstances. Check with your Building Safety department for additional requirements.


post must be centered on foundation element Minimum 3 1/2" Concrete slab Isolate from Stab In minimum 8" diameter concrete




■ DETAIL D

* check with jurisdiction for


minimum caisson requirements






This handout was developed by the Colorado Chapter of the International Code Council as a basic plan submittal under the International Residential Code, edition 2024. It is not intended to cover all circumstances. Check with your Building Safety department for additional requirements.


- 1. Projections cannot be closer than 2 feet to the lot line. Projections that have a fire separation distance of less than 5 feet from the lot line in unsprinklered buildings, or less than 3 feet in sprinklered buildings, are required to be protected on the underside with 1-hour fire-resistant construction. The underside protection may be omitted where fireblocking is provided or gable vents openings are not present.
- 2. Total area of the openings in a wall with a fire separation distance that is equal to or greater than 3 feet, but less than 5 feet from the lot line, be less than 25 percent of the maximum wall area






This handout was developed by the Colorado Chapter of the International Code Council as a basic plan submittal under the International Residential Code, edition 2024. It is not intended to cover all circumstances. Check with your Building Safety department for additional requirements.

Single Family Residential Uncovered Decks and Porches





DECK LATERAL ATTACHMENT

Approved Asphalt and Alternative Shingles

Atlas:

- StormMaster
- Pinnacle
- > ProLam
- Briarwood
- Castlebrook

Certain Teed:

- Grand Manor
- ➢ Belmont
- Carriage House
- Presidential
- Highland Slate
- ➤ Landmark (all)
- Patriot
- ➤ XT 25

EuroShield:

- Rundle Slate
- Vermont Slate

GAF:

- Camelot II
- Grand Canyon

GAF (cont'd):

- Grand Sequoia
- Woodland
- > Timberline HDZ
- Timberline UHDZ
- Timberline CS
- Timberline AS
- > Timberline Prestique 40
- Timberline NS
- Marquis WeatherMax
- Royal Sovereign

IKO:

- Armourshake
- > Cambridge LT
- Crowne Slate
- Royal Estate
- Dynasty
- Nordic
- Marathon Plus

Malarkey:

- Legacy¹
- Highlander

Malarkey (cont'd):

- > Windsor
- Vista

Owens Corning:

- > Woodmoor Collection
- Woodcrest Collection
- Duration Shingle (All)
- ➢ Oakridge Shingles¹

Pabco:

- Paramount Advantage
- Paramount
- Cascade
- Premier Radiance
- Pabco Premier
- > Pabco Prestige

Tamko:

- Heritage
- Proline Titan XT
- > Proline Stormfighter Flex
- > Proline Stormfighter IR
- ➤ Elite Glass Seal

• Installation of solar shingles require a Solar permit application

The manufacturers and shingle types are not all inclusive. The Building Inspection Division will consider any shingle or alternate roofing material that meet the wind requirements of IRC section R905.2.4 Shingles and other roof coverings not listed shall be approved prior to permit issuance and will require a building and/or planning department material review.

Last update: 6-13-25 Page 5 of 4